



a. adWall Vario Gate


 **Resolution:** 1200 ppi – 1:10 scale


 **File format:** PDF


 **Color:** CMYK - Coated FOGRA39


 flattened file (no layers),
no print marks,
no overprint attribute,
no bleeds,
do not change the size of the template ,
convert fonts to curves ,
save the project as a one-page pdf



 Remove the red and blue lines before saving the files. Leaving the line on will result in it being printed as a design element! In order to properly display the advertisement, all important elements should be inside the protective area marked with **red line**. Background and graphics must fill the entire printable area marked project marked with **blue line**. If there is no fill between the red and blue lines, a white frame will appear on the printout.

 Download and work on the graphic design template on the next page of this PDF. If there is more than one, prepare the projects in separate files.

 Guideline Label Legend:





The image shows a technical drawing of a semi-circular arch. The arch is defined by two concentric semi-circular lines. The outer line represents the top profile, and the inner line represents the bottom profile. Along the bottom edge, there are five decorative cutouts: two triangles on the left and right, and three trapezoidal shapes in the center. The drawing is centered on a white background with a blue border.

front

660 x 250 [mm]

Wydruk adWall Vario Gate



back

660 x 250 [mm]

Wydruk adWall Vario Gate

arch

780 x 90 [mm]

Wydruk adWall Vario Gate